

1996

**PVN-CAT-128-L-072-007-SHDSK**

Marne Ausec  
*Kenyon College*

Follow this and additional works at: <https://digital.kenyon.edu/honduras>

 Part of the Archaeological Anthropology Commons

---

## Recommended Citation

Ausec, Marne, "PVN-CAT-128-L-072-007-SHDSK" (1996). *Four Valleys Archive*. Paper 30816.  
<https://digital.kenyon.edu/honduras/30816>

This Catalog Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact [noltj@kenyon.edu](mailto:noltj@kenyon.edu).

PROYECTO VALLE DE NACO  
CATALOG FORM

DATE:

LOT NUMBER: 1284/72

SUBSTANCE: Ceramic

OBJECT: Sherd Disk - Worked sherd - Used sherd

CATALOG #: 1284/72-7 MULTIPLES?

DRAWN BY:

CATALOGED BY:

PASTE GROUP:

CENSER FORM CODE:

EXCAVATOR:

HGT/LENGTH: 2.5 cm WIDTH: 3.6 cm THICKNESS: 0.5 cm DIAMETER:

VERBAL DESCRIPTION:

This is an intact - broken sherd disk - pierced sherd disk - worked sherd - used sherd.

It is made from a Quartz vessel (name the type-variety if possible).

If broken, the estimated amount preserved is:

It is circular - slightly off round - oval - square - rectangular - irregularly shaped (describe).

If circular, the diameter is - is not measurable. Diameter - cm; % preserved.

The shape was - was not inscribed/incised/cut into the interior - exterior - either surface - can't tell.

The basic method of shaping appears to be breaking - chipping - grinding.

The edge is - is not smooth all over - in some areas.

If smooth, it appears to be so due to deliberate finishing - use wear - both.

The intersection of edge and interior is unused - worn in places - worn all over.

The intersection of edge and exterior is unused - worn in places - worn all over.

There is - is not a hole drilled in the item.

If not, is there any sign of piercing/drilling?

If yes, the hole is drilled from one side only - biconically drilled.

The hole's interior diameter is cm.

The maximum width of the piercing is cm on the interior surface and cm on the exterior.

Burning or sooting: yes - no. If yes, describe location and extent

Firing core is absent - central - interiorly shifted - present only in thickest parts.

Not drawn - Drawn. The piece is - not - slightly - moderately - very - extremely - eroded.

Any other information about use, wear, or anything else:

Sh 13

5/1/85

100-2

5-25/85

100-2

100-2

100-2

100-2

100-2